

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/821,300	04/09/2004	Feng-Wen Sun	PD-203083	1123
29158 BELL BOYD	7590 11/02/2007 & LLOYD LLP		EXAMINER	
P.O. BOX 113.	5		WONG, LINDA	
CHICAGO, IL	60690	•	ART UNIT	PAPER NUMBER
			2611	
			MAIL DATE	DELIVERY MODE
			11/02/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

ì			4			
	Application No.	Applicant(s)				
	10/821,300	SUN ET AL.				
Office Action Summary	Examiner	Art Unit				
·	Linda Wong	2611				
The MAILING DATE of this communication a Period for Reply	ppears on the cover sheet wi	ith the correspondence addr	ess			
A SHORTENED STATUTORY PERIOD FOR REF WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory perions for reply within the set or extended period for reply will, by state Any reply received by the Office later than three months after the main earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNION 1.136(a). In no event, however, may a root will apply and will expire SIX (6) MON ute, cause the application to become AE	CATION. eply be timely filed ITHS from the mailing date of this command the common street (35 U.S.C. § 133).				
Status		•				
1) Responsive to communication(s) filed on 10	October 2007.					
2a) This action is FINAL . 2b) ⊠ Th	a) This action is FINAL . 2b) ⊠ This action is non-final.					
S) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice unde	r <i>Ex par</i> te Quayle, 1935 C.D). 11, 453 O.G. 213.				
Disposition of Claims						
4) ☐ Claim(s) 1-35 is/are pending in the application 4a) Of the above claim(s) 9-17 and 25-35 is/s 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-8 and 18-24 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and	are withdrawn from consider	ration.				
Application Papers						
9) The specification is objected to by the Exami 10) The drawing(s) filed on <u>09 April 2004</u> is/are: Applicant may not request that any objection to the Replacement drawing sheet(s) including the correction. The oath or declaration is objected to by the	a) accepted or b) object the drawing(s) be held in abeyar ection is required if the drawing	nce. See 37 CFR 1.85(a). (s) is objected to. See 37 CFR				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for forei a) All b) Some * c) None of: 1. Certified copies of the priority docume 2. Certified copies of the priority docume 3. Copies of the certified copies of the priority docume application from the International Bure * See the attached detailed Office action for a light	ents have been received. ents have been received in A riority documents have been eau (PCT Rule 17.2(a)).	Application No received in this National S	tage			
Attachment(s)	A) 🗌 Intonioni	Summary (PTO-413)				
 Notice of References Cited (PTO-892) D Notice of Draftsperson's Patent Drawing Review (PTO-948) 	Paper No(s)/Mail Date				
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	5) Notice of l	Informal Patent Application				

DETAILED ACTION

Election/Restrictions

 Applicant's election without traverse of claims 1-8,18-20,21-24 in the reply filed on 10/10/2007 is acknowledged.

Drawings

2. The drawings were received on 4/9/2004. These drawings are accepted.

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

- 3. Claims 7,8 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter, which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention.
 - a. Claim 7 recites the limitation "process a same bit in each received byte". The examiner is uncertain as to the reference of "a same bit in each received byte".
 Based on the specification, Fig, 5 shows the multiple coders receive 1 bit of the received stream of data or received byte but the bits are not the same.

Art Unit: 2611

Furthermore, encoding a stream of data is to encode every bit, thus why would one skilled in the art use multiple encoders to encode "the same bit of the received byte"?

b. Claim 8 recites the same limitation. Please refer to the rejection of claim 7.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

- 4. Claims 1,3-4,18,21,24 are rejected under 35 U.S.C. 102(e) as being anticipated by Sinhdhushayana et al (US Publication No.: 20030007487).
 - a. Claim 1.
 - i. Sinhdhushayana et al discloses
 - "a first coder configured to receive at least one first data stream, and generate a plurality of data packets based on the received at least one first data stream, the plurality of data packets representing redundant data packets" (Fig. 2a, label 204, paragraph 51 discloses the data source, label 202, provides information signals divided in to N blocks,

Art Unit: 2611

each block with K bytes, Fig. 2d, packet 1-N is being outputted by Ec1 and received by Ec2 as shown in Fig 2a)

Page 4

- "a second coder configured to receive the at least one first data stream and the redundant data packets, generate parity information for the received at least one first data stream and the redundant data packets, and output a second data stream comprising the at least one first data stream, the plurality of redundant packets and the parity information" (Fig. 2a, label 206 receives the plurality of packets from EC1 and Fig. 2d shows the packets are inputted into 206 or EC2, paragraph 54 discloses each encoded packet comprise N systematic bytes and N' parity bytes, wherein the systematic bytes comprises data block 220 and encoded with systematic code C4)
- "logic configured to modulate the second data stream, and forward the modulated data". (paragraph 45 discloses performing modulation)
- b. Claim 3, Sindhushayana et al discloses "the first coder is configured to generate a first number of redundant data packets for each second number of payload data packets". (Fig. 2d, encoder 1 produces N number of packets and encoder 2 outputs N+N' number of packets)
- c. Claim 4, Sindhushayana et al discloses "the first number is four and the second number is 97". (Fig. 2d, encoder 1 produces N number of packets and encoder 2 outputs N+N' number of packets, wherein the number of packets depend on N and N+N')

Art Unit: 2611

d. Claims 18,21,

- i. Sindhushayana et al discloses
 - "means for receiving a first data stream; (Fig. 2a, label DS, paragraph
 51)
 - "means for generating a plurality of redundant data packets based on the first data stream" (Fig. 2a, label 204)
 - "means for generating parity information for the first data stream and the redundant data packets" (Fig. 2d, labels 220,222, paragraphs 52,54)
 - "means for forming data packets comprising the first data stream, the redundant data packets and the parity information" (paragraph 58, Fig. 2d, label 224)
 - "means for modulating the data packets"; (paragraph 45 discloses performing modulation)
 - "means for transmitting the modulated data packets" (Fig. 2a, label tx)
- e. Claim 24, Sindhushayana et al discloses "the redundant packets are processed by the distribution device in a same manner as the plurality of data packets".

 (Fig. 1a, shows the receiver and transmitter, wherein the decoder resembles the process of the encoder.)

Claim Rejections - 35 USC § 103

Art Unit: 2611

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

5. Claim 2 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sindhushayana et al (US Publication No.: 20030007487) in view of Gilhousen et al (US Patent No.: 4901307).

a. Claim 2,

- Sindhushayana et al discloses "a transmitter configured to receive the modulated data, and transmit the modulated data". (Fig. 1a, label 112 indicates transmission)
- ii. Sindhushayana et al fails to disclose transmitting to a "satellite". Gilhousen et al disclose transmitting to satellite or terrestrial repeaters. (Fig. 2) It would have been obvious to one skilled in the art at the time of the invention to transmit to a satellite as disclosed by Gilhousen et al into Sindhushayana et al's invention so to provide communication to a satellite device as well as terrestrial, thus increasing robustness.
- 6. Claims 5,6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sindhushayana et al (US Publication No.: 20030007487) in view of Eidson et al (US Publication No.: 20010025358).

a. Claim 5,

Art Unit: 2611

i. Sindhushayana et al fails to disclose

"an interleaver configured to receive video input data and output the at least one first data stream".

Page 7

- ii. Eidson et al discloses such a limitation. (Fig. 1, label interleaver) It would have been obvious to one skilled in the art at the time of the invention to incorporate such a limitation as disclosed by Eidson et al into Sindhushayana et al's invention so to shuffle the signal bit order to reduce the susceptibility of the system to burst noise.
- b. Claim 6, Sindhushayana et al discloses "the at least one first data stream comprises 12 data streams". (paragraph 51 discloses the information signal is divided into N blocks, wherein N blocks can be 12 to produce 12 data streams)
- 7. Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sindhushayana et al (US Publication No.: 20030007487) in view of Wang et al (US Patent No.: 5052000).

a. Claim 7,

- i. Sindhushayana et al fails to disclose
 - "the first coder comprises a plurality of coders, each of the plurality of coders configured to process a same bit in each received byte of the at least one first data stream".
- ii. Wang et al discloses such a limitation. (Fig. 2, label 206-1 to 206-M) It would have been obvious to one skilled in the art to incorporate multiple

Art Unit: 2611

coders as disclosed by Wang et al into the coder as disclosed by Sindhushayana et al so to increase immunity of information signal to the presence of noise.

Page 8

8. Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sindhushayana et al (US Publication No.: 20030007487) in view of Wang et al (US Patent No.: 5052000), further in view of Eidson et al (US Publication No.: 20010025358).

a. Claim 8,

- i. Sindhushayana et al in view of Wang et al fails to disclose
 - A. "a buffer configured to store a block of data, the block of data representing the same bit in each byte of a data packet", and
 - B. "logic configured to cyclically shift the contents of the buffer based on an index associated with the stored block of data",
 - C. "binary sum a first bit of the buffer with each other bit in the buffer, and output a plurality of bits based on the binary summing".
- ii. Eidson et al discloses such a limitation. (Limitation A: Fig. 3, label 300,302 as the shift register or buffer for storing the data. Limitation B: paragraph 59 describes the encoder's functionality, wherein the shift register will shift the bits based on clock as shown in Fig. 3. Paragraph 92 discloses the encoder as a cyclic redundancy check encoder. Limitation C: Fig. 3 shows the summation.) It would have been obvious to one skilled in the art to provide

Art Unit: 2611

an encoder as disclosed by Eidson et al into Sindhushayana et al's invention so to provide cyclic redundancy check.)

Page 9

- 9. Claims 19,22-23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sindhushayana et al (US Publication No.: 20030007487) in view of Zhou et al (US Publication No.: 20040179606).
 - a. Claims 19,22,
 - i. Sindhushayana et al discloses
 - "means for receiving the modulated data packets" (Fig. 2a, labels 112,214)
 - "means for demodulating and decoding the modulated data packets"
 (Fig. 2a, label dc as the decoder, paragraph 60)
 - ii. Sindhushayana et al fails to disclose
 - "means for re-encoding the decoded data packets" and
 - "means for transmitting the re-encoded data packets".
 - iii. Zhou et al discloses such limitations. (Limitation A: Fig. 3, label re-encode reduced bit-plane blocks; Limitation B: label Transmit bit-plane) It would have been obvious to one skilled in the art at the time of the invention to incorporate such limitations as disclosed by Zhou et al into Sindhushayana et al so to reduce the bit rate to match the available bit rate for transmission. (paragraph 0021)

Art Unit: 2611

b. Claim 23, Sindhushayana et al discloses "the distribution device comprises a satellite and the plurality of redundant data packets increase an error correction capability at the plurality of locations". (paragraph 5 discloses satellite and Fig. 1a shows a decoder, wherein the use of a decoder would increase error correction.)

- 10. Claim 20 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sindhushayana et al (US Publication No.: 20030007487) in view of Zhou et al (US Publication No.: 20040179606), further in view of Eidson et al (US Patent No.: 20010025358).
 - a. Claim 20,
 - i. Sindhushayana et al in view of Zhou et al discloses all the limitations as recited in claim 19, but fails to disclose the limitations recited in claim 20.
 - ii. Eidson et al discloses
 - "Means for receiving the re-encoded data packets" (Fig. 1, label Receiver)
 - "Means for decoding the re-encoded data packets" (Eidson et al discloses a transceiver as shown in Fig. 1, thus Eidson et al's system can receive data and decode the data, labels 106,118)
 - "Means for determining that an error occurred in a first data packet";
 (Fig. 2, label decoding/success failure indication)

Art Unit: 2611

 "Means for generating an index value associated with the first data packet" (Fig. 2, label 210, wherein a Reed-Solomon Decoder generates an index value. Please refer to the reference EP 0874466 for further background on such an encoder.) and

- means for recovering the first data packet using the index value". (Fig.
 2, output of label 230)
- It would have been obvious to one skilled in the art at the time of the
 invention to incorporate Eidson et al into Sindhushayana et al in view of
 Zhou et al so to better decipher transmitted information.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Linda Wong whose telephone number is 571-272-6044. The examiner can normally be reached on 9-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Payne can be reached on (571) 272-3024. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Linda Wong

10/18/2007

DAVID C. PAYNE

SUPERVISORY PATENT EXAMINER